

Shenzhen, China

RoHS, CE, FCC, SGS

Skymen

JP-211

Negotiation

In Stock

Wooden case

800 pcs per month

1

# Impinger Belt 1500W Soaking Tank Machine with Heating Power 200L

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T
- Supply Ability:



#### **Product Specification**

- Model:
- Tank Volume:Heating Power:

- Internal Tank Size:
- Basket Size:
- Gross Weight:
- Highlight:

SUS316 Kitchen So
150KG
700*430*595MM
750*450*625MM
1500W
211L
JP-211L

. . . .

SUS316 Kitchen Soak Tank, 2mm Thickness Kitchen Soak Tank, FCC Heated Tank Cleaning Machine



#### More Images



#### **Product Description**

Impinger Belt 1500W Soaking Tank Machine with Heating Power 200L **Application Industrial:** Restaurants; Bakery shops; Hotel; Supermarkets; Schools, colleges, caterers; Food production facilities Small tank: for canopy fitlers, grill tops, pans and small trays; Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks; Large tank: suitable for greasy filters, pots, baking trays, etc; Skymen also offer custom sizes for larger applications. Suggest cleaning time: Item Cleaning time Pot& Pans Initial soak 12 hours

	Hot plates & grills	Minimum of 12 hours	
	Deep fry baskets	Minimum 3~4 hours	
	Hood filter	1 hour	
	J	Initial soak 12 hours	
ł	Gas rings& Cooker	Minimum 12 hours	
	tops		
	Bakery trays and racks	Initial soak 12 hours	
	Serving dishes	1-2 hours	
	Oven Racks	Initial soak 12 hours	

#### **PRODUCT SPECIFICATIONS**


1	Model	JP-211				
	1st Tank	Function	Hot water cleaning/soaking			
		Tank Material	SUS 304 (SUS 316 can be customized)			
		Inner tank	750*450*625mm			
		dimension	730 430 025000			
		Tank Capacity	211L			
		Heating tube	1pcs			
		Heating Power	1500W			
6		Time setting	0~99 hours			
2		Temperature setting	Room temperature ~ 80°C adjustable			
		Thickness of tank	2mm			
		Drain value	Yes, in the right side of machine			
		Water inlet/outlet	Yes			
		Lid	Yes, hinged with machine body, with gasket			
		Handle of the basket	Yes			
		Basket load	200KG			
	Packing	Overall size	850*550*785mm			
4		Packing size	950*650*920cm			
		Packing detail	By wooden case(No logs, free of fumigation)			
5	Warranty	1 year warranty for spare parts, all life technical support				
6	Certificate	CE, RoHS; FCC, REACH				
7	Production time	5 days if there is stock; 20 days if there is no stock				
-		1				

## Directions for use

### Step 1



for more products please visit us on skymenultrasonic.com



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

Model	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material
JP- 168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304
JP- 211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304
JP- 258	258L	890*480*605	840*460*575	990*580*800	3KW	
JP- 274	274L	840*480*680	790*460*650	940*580*875	3KW	SUS 304
JP- 388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	SUS 304
JP- 483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304

#### **PRODUCT CONFIGURATION**








Cleaning Effect show:

Korean BBQ Grill Plate Cleaner



**Roasting Pan Cleaner** 





Sheet Pan Cleaner







Pot Cleaner

Pan Cleaner




Floor Mat Cleaner Hood Filter Cleaner

Impinger Belt Cleaner

Pizza Pan





Factory and Warehouse







Skymen V Okymen Fechnology Corporation Limited
86-755-27094405 Sinfo@skymen.cc Bavan Skymenultrasonic.com
Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen