



Bicycle Wheel Engine Parts Ultrasonic Cleaning Equipments / Pipe Parts Ultrasonic Washer

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE
- Model Number: JTS-1060
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 100 /month



Product Specification

- Special: Multi Tank
- Material: Stainless Steel SUS304/316L
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Power: 7200W
- Power: Adjustable Ultrasonic Power
- Use: Cleaning , Degreasing
- Control: Separate Generator
- Heater: 20 To 80 Asjudt
- Optional: Oil Filter System
- Highlight: **ultrasonic cleaning device,
ultrasonic washing machine**



More Images



Product Description

Bicycle Wheel Engine Parts Ultrasonic Cleaning Equipments / Pipe Parts Ultrasonic Washer

The machine is customized and certified with CE.

If need, rising tank or drying tank is optional based on customer's needs.

Large Capacity for Diesel Particulate Filter Cleaning

Ultrasonic Frequency Choices

Ultrasonic operating frequency is perhaps the single most important consideration when choosing an ultrasonic cleaning system.

Each frequency has its own unique characteristics.

Low frequencies are used for large, un-detailed parts with heavy contamination and produce un-even cleaning action in the fluid, while higher frequencies produce more evenly distributed cleaning action, and have the ability to penetrate small blind holes, threaded areas, and other detail. More frequency choices 68kHz / 80kHz / 120kHz are available.

Applications:

Skymen Dual frequency ultrasonic cleaner can be use for car parts washing, engine block degrease, radiator clean, also can clean electronic parts. No damage to object surface and improve cleaning efficiency.

Description:

Adjustable ultrasonic power

Original BLT type transducer

SUS304/316L tank

Adaptable for continuous operation

Adjustable thermo controller

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Sweep mode control available

Digital timer control

Boost mode& oil skimmer upon client's requirement

Pressure pump and filter system

With pneumatic lift to up and down goods.

Product Description

Model: Skymen™	JTS-1012	JTS-1018	JTS-1024	JTS-1030	JTS-1036	JTS-1072
TANK'S WORKING DIMENSION (mm)	L1 355 W1 305 H1 355	406 305 460	500 355 500	500 406 500	500 460 550	1110 600 600
OVERALL DIMENSION (mm)	L2 535 W2 485 H2 750	586 485 680	680 535 720	710 586 720	710 640 770	1320 780 820
TANK'S TOTAL CAPACITY	38L	56L	88L	101L	126L	369L
TANK'S MATERIAL	SUS304 / SUS316L					
IN-TANK SURFACE FINISHING	Hard-Cr Plating Treatment (20+ microns)					
HOUSING'S MATERIAL	Stainless steel					
ULTRASONIC FREQUENCY*	28kHz / 40kHz					
ULTRASONIC TRANSDUCER	12	18	24	30	36	72
ULTRASONIC OUTPUT POWER (MAX.)	600W	900W	1200W	1500W	1800W	3600W
ELECTRONIC GENERATOR	KG600	KG900	KG1200	KG1500	KG1800	KG3600
	Build-in		Separate			
HEATER'S (HOT PLATE) POWER	1.5kW		3kW		4.5kW	9KW

Package

Packing , loading, delivery time	
Packing unit	1set/wooden case
Packing method	Export wooden case
Loading port	Shenzhen
Delivery time	About 15 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea

Competitive Advantage:

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and

better cleaning effects.
PCB Board: manufactured by Skymen factory, more stable



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen